

June 25, 2021

Re: Review of Lab Data "Advanced Fulvic/Humic Micronutrient" Formula

I have reviewed the formal laboratory data for COSEVA's Advanced Fulvic/Humic Micronutrient Formula. The organic analysis supports that the product formula consists of equal parts Fulvic Acid and Humic Acid, with additional micronutrients, including a wide array of naturally occurring trace elements. The total amount of Fulvic acid/Humic Acid per dose is 47mg/ 44 mg respectively. The elemental analysis shows that the amounts of heavy metals per dose is well below the limits established by the EPA and FDA for safe drinking water and OTC products.

A handwritten signature in black ink, appearing to read "Agnes Ostafin". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Agnes Ostafin, PhD¹, MS², BS³

¹Chemical Physics, University of Minnesota

²Engineering Management, Drexel University

³Chemistry and Biology, Wayne State University.



40 West Louise Ave., Salt Lake City, UT 84115
 Phone: (801) 485-1800 Fax: (801) 484-9211
 Email: utlab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: Humic Acid Concentrate
 Sample ID: FAA61021-1 Red
 Lot No:
 Location:
 Received: 6/12/2021
 Completed: 6/21/2021

Client: Rob Gultsraudsen
 Coseva
 9240 S 500 W
 #F
 Murray, UT 84123
 Lab No: 217154-09

Analysis	Result	Per Unit	Method
Mercury	<0.001	ppm	ICP-MS USP <730>
Lead	0.248	ppm	ICP-MS USP <730>
Arsenic	0.131	ppm	ICP-MS USP <730>
Cadmium	0.012	ppm	ICP-MS USP <730>
Total Aerobic Microbial Count	<10	CFU/g	USP <2021>
E.coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella spp.	Absent	per 10 grams	USP <2022>
Total Yeast & Mold Count	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	USP <2021>
Mold *	<10	CFU/g	USP <2021>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Lana Kaytso-Administrative Assistant

Dated: 6/21/2021

Printed: 6/21/2021 3:34:20 PM

